



参考文献

- [1] BAINES M E, REICHELM, EVANS P G H, et al. Bottlenose dolphin studies in Cardigan Bay. West Wales [J]. Final report to INTERREG (unpublished report) , 2002.
- [2] BARROS N B, JEFFERSON T A, PARSONS E C M. Feeding Habits of IndoPacific Humpback Dolphins (*Sousa chinensis*) Stranded in Hong Kong [J]. Aquatic Mammals, 2004, 30 (1) : 179–188.
- [3] BERGER J. Intervention and Persistence in Small Populations of Bighorn Sheep[J]. Conservation Biology, 1999, 13 (2): 432–435.
- [4] BUCKLAND S T, ANDERSON D R, BURNHAM K P, et al. Distance sampling: estimating abundance of biological populations [M]. Publications of the American Statistical Association, 2006, 102 (478) : 763–764.
- [5] BURNHAM K P, ANDERSON D R, LAAKE J L. Estimation of Density from Line Transect Sampling of Biological Populations [J]. Wildlife Monographs, 1980, 72 (72): 3–202.
- [6] CALAMBOKIDIS J, BARLOW J. Abundance of blue and humpback whales in the eastern North Pacific estimated by capture – recapture and line – transect methods [J]. Marine Mammal Science, 2010, 20 (1) : 63–85.
- [7] CHEN L, CABALLERO S, ZHOU K, et al. Molecular phylogenetics and population structure of *Sousa chinensis* in Chinese waters inferred from mitochondrial control region sequences [J]. Biochemical Systematics and Ecology, 2010, 38: 897–905.
- [8] CHEN T, HUNG S K, QIU Y S, et al. Distribution, abundance, and individual movements of Indo-Pacific humpback dolphins (*Sousa chinensis*) in the Pearl River Estuary, China. [J]. Mammalia, 2010, 74 (2) :117–125.
- [9] DARES L E, ARAUJO-WANG C, YANG S C, et al. Spatiotemporal heterogeneity in densities of the Taiwanese humpback dolphin (*Sousa chinensis taiwanensis*) [J]. Estuarine Coastal & Shelf Science, 2016, 187.
- [10] EVANS P G H, HAMMOND P S. Monitoring cetaceans in European waters[J]. Mammal Review, 2010, 34 (1–2):131–156.
- [11] FRANKEL O, SOULE M. Conservation and evolution [M]. CUP Archive, 1981.
- [12] FRERE C H, HALE P T, PORTER L, et al. Phylogenetic analysis of mtDNA sequences suggests revision of humpback dolphin (*Sousa* spp.) taxonomy is needed [J]. Marine & Freshwater Research, 2008, 59 (3) : 259–268.

- [13] FRERE C H, SEDDON J, PALMER C, et al. Multiple lines of evidence for an Australasian geographic, boundary in the Indo-Pacific humpback dolphin (*Sousa chinensis*): population or species divergence? [J] Conservation Genetics, 2011, 12 (6) : 1633–1638.
- [14] GILPIN M E. Minimum viable populations: Processes of species extinction [C] //Conservation Biology: the Science of Scarcity and Diversity. 1986:13–34.
- [15] GUERRANT E O J, FIEDLER P L, JAIN S K. Genetic and demographic considerations in the sampling and reintroduction of rare plants. [M] //Conservation Biology. Springer US, 1992:321–344.
- [16] GUI D, YU R, KARCZMARSKI L, et al. Spatio-temporal trends of heavy metals in Indo-Pacific: humpback dolphins (*Sousa chinensis*) from the western Pearl River Estuary, China [J]. Environmental Science & Technology, 2017, 51 (3) : 1848–1858.
- [17] HAYNE D W. An Examination of the Strip Census Method for Estimating Animal Populations [J]. The Journal of Wildlife Management 13, 1949, 13 (2) :145–157.
- [18] JEFFERSON T A. Population Biology of the Indo-Pacific Hump-Backed Dolphin in Hong Kong Waters [J]. Wildlife Monographs, 2000, 64 (144) : 1–65.
- [19] JEFFERSON T A, LEATHERWOOD S. Distribution and abundance of Indo-Pacific hump-backed dolphins (*Sousa chinensis* Osbeck, 1765) in Hong Kong waters [J]. Asian Marine Biology, 1997, 14 (93) : 110.
- [20] JEFFERSON T A, ROSENBAUM H C. Taxonomic revision of the humpback dolphins (*Sousa* spp.) , and description of a new species from Australia[J]. Marine Mammal Science, 2015, 30 (4) : 1494–1541.
- [21] JEFFERSON T A, KARCZMARSKI L. *Sousa chinensis* [J]. Mammalian Species, 2001, 655, 1–9.
- [22] JEFFERSON T A, WAEREBEEK K V. Geographic: Variation in Skull Morphology of Humpback Dolphins (*Sousa* spp.) [J]. Aquatic Mammals, 2004, 30 (1) : 3–17.
- [23] KARCZMARSKI L, HUANG S L, WONG W H, et al. Hong Kong Red List Assessment: The Indo-Pacific humpback dolphin (*Sousa chinensis*) [J]. WWF Hong Kong and Hong Kong Red List, 2014.
- [24] KARCZMARSKI L, WINTER P E D, COCKCROFT V G, et al. Population analyses of Indo-Pacific humpback dolphins *Sousa chinensis* in Algoa Bay. Eastern Cape, South




- Africa [J]. Marine Mammal Science, 2010, 15(4) : 1115–1123.
- [25] KERMACK D M. Whales, dolphins and porpoises [J]. London: Dorling Kindersley, 2010, 56 (3) : 23–36.
- [26] KIMURA M. Evolutionary Rate at the Molecular Level [J] . Nature, 1968, 217 (5129):624–626.
- [27] KRISHNAN A A, YOUSUF K S, KUMARAN P L, et al. Stomach contents of cetaceans incidentally caught along Mangalore and Chennai coasts of India [J]. Estuarine Coastal & ShelfScience, 2008, 76(4) : 909–913.
- [28] LI S, LIN M. XU X, et al. First record of the Indo-Pacific humpback dolphins(*Sousa chinensis*) southwest of Hainan Island, China [J] . Marine Biodiversity Records, 2016, 9 (1) : 3.
- [29] LIN W, CHANGL, FRERE C H, et al. Differentiated or not? An assessment of current knowledge of genetic structure of *Sousa chinensis*, in China [J]Journal of Experimental Marine Biology & Ecology, 2012, 416–417 (1):17–20.
- [30] LIN W, ZHOU R, PORTER L, et al. Evolution of *Sousa chinensis*: a scenario based on mitochondrial DNA study [J].Molecular Phylogenetics &Evolution, 2010, 57 (2) : 907–911.
- [31] LINCOLN F C . Calculating Waterfowl Abundance on the Basis of Banding Returns [J]. US Department of Agriculture Circular, 1930.
- [32] MITTERMEIER R A, MYERS N, et al. Hotspots Revisited: Earth' s biologically richest and most endangered terrestrial ecoregions. [M] .CEMEX, SA, Agrupacion SierraMadre, Mexico, 1999.
- [33] MUIZON C D. Walking with whales [J]. Nature, 2001, 413 (6853) :259–60.
- [34] PARRA G J. Behavioural ecology of Irrawaddy, *Orcaella brevirostris* (Owen in Gray, 1866), and Indo-Pacific humpback dolphins, *Sousa chinensis*(Osbeck, 1765) , in northeast Queensland, Australia: a comparative study [J] . James Cook University, 2005.
- [35] PARRA G J, JEDENSJO M. Feeding habits of Australian Snubfin (*Orcaella heinsohni*) and Indo-Pacific humpback dolphins (*Sousa chinensis*) [M] .Reef and Rainforest Research Centre Limited, 2009.
- [36] PARRA G J, ROSS G J B. Humpback dolphins *S. chinensis* and *S. teuszii*[M] . Encyclopedia of Marine mammals (Second Edition). 2009, 576–582.
- [37] PARSONS E C. Trace metal pollution in Hong Kong: implications for the health of



- Hong Kong's Indo-Pacific hump-backed dolphins (*Sousa chinensis*) [J]. *Science of the Total Environment*, 1998, 214 (1-3):175-184.
- [38] PARSONS E M. Hong Kong's Cetaceans: the biology, socioecology and behaviour of *Sousa chinensis* and *Neophocaena phocaenoides* [D]. The University of Hong Kong (Pokfulam, Hong Kong), 1997.
- [39] PETERSEN C G J. The yearly immigration of young plaice into the Limfjord from the German Sea [J]. *Report of the Danish Biological Station*, 1895(6):1-48.
- [40] PORTER J. J. A redescription of *Sousa chinensis* (Osbeck, 1765) (Mammalia. Delphinidae) and designation of a neotype [J]. *Bulletin of the Natural History Museum: Zoology*, 2002, 68(1):27-37.
- [41] REES W E. Ecological footprints and appropriated carrying capacity: what urban economics leaves out [J]. *Focus*, 1992, 6(2):121-130.
- [42] RICE D W. Marine mammals of the world: Systematics and distribution [J]. *Society for Marine Mammalogy Special Publications*, 1998. 4:84.
- [43] ROSS G J B, HEINSOHN G E, COCKCROFT V G. Humpback dolphins *Sousa chinensis* (Osbeck, 1765), *Sousa plumbea* (G. Cuvier, 1829) and *Sousa teuszii* (Kukenthal, 1892) [J]. *Handhook of marine mammals*, 1994, 5:23-42.
- [44] ROSS P S, DUNGAN S Z, HUNG S K, et al. Averting the baiji syndrome: conserving habitat for critically endangered dolphins in Eastern Taiwan Strait [J]. *Aquatic Conservation Marine & Freshwater Ecosystems*, 2010, 20(6):685-694.
- [45] SPALDING M D, FOX H E, ALLEN G R, et al. Marine Ecoregions of the World: A Bioregionalization of Coastal and Shelf Areas [J]. *Bioscience*, 2007, 57(7) : 573-583.
- [46] THEWISSEN J G M. The Walking Whales: From Land to Water in Eight Million Years [M]. University of California Press. 2014.
- [47] VIVIAN B, WILLY D, LOUSF. Z. Histology and growth of the cetacean petro-tympanic bone complex [J]. *Proceedings of the Zoological Society of London*, 2010, 262 (4):371-381.
- [48] WACKERNAGEL M, REES W E. Our Ecological Footprint: reducing human impact on the earth [J]. New Society Publishers, 1996, 1(3):171-174.
- [49] WANG J Y, HUNG S K, YANG S C. Records of Indo-Pacific Humpback Dolphins, *Sousa chinensis* (Osbeck, 1765), from the Waters of Western Taiwan [J]. *Aquatic Mammals*, 2004, 30(1): 189-196.

- [50] WANG J Y, RIEHL K N, KLEIN M N, et al. Biology and Conservation of the Taiwanese Humpback Dolphin, *Sousa chinensis taiwanensis* [J]. *Advances in Marine Biology*, 2016, 73: 91-117.
- [51] WANG X, WU F, TURVEY S T, et al. Social organization and distribution patterns inform conservation management of a threatened Indo-Pacific humpback dolphin population [J]. *Journal of Mammalogy*, 2015, 96(5):964-971.
- [52] WILKINSON D M, O'REGAN H J. Modelling differential extinctions to understand big cat distribution on Indonesian islands [J]. *Clohal Ecology & Biogeography*, 2010, 12(6): 519-524.
- [53] WILLIAMS R, THOMAS L. Cost-effective ahundance estimation of rare animals: testing performance of small-boat surveys for killer whales in British(lolumhia [J]. *BiologicalConservation*, 2009, 142(7):1542-1547.
- [54] WILSON B, HAMMOND P S, THOMPSON P M. Estimating size and assessing trends in a coastal bottlenose dolphin population [J]. *Ecological Applications*, 1999, 9 (1):288-300.
- [55] ZHOU K Y, XU X R. Distrihution and abundance of Indo-Pacific humpack dolphins in Leizhou Bay, China[J]. *New Zealand Journal of Zoology*, 2007, 34(1): 35-42.
- [56] DODSON J R, RAMRATH A. 澳大利亚的第三纪及第三纪一第四纪过渡期[J]. 第四纪研究, 2000, 20(5): 397-408.
- [57] LiCC. 群体遗传学[M]. 吴仲贤, 译. 北京: 农业出版社. 1981: 386-389.
- [58] SNUSTAD D P, SIMMONS M J. 遗传学原理[M]. 赵寿元, 乔守怡, 等. 译. 北京: 高等教育出版社. 2011
- [59] 陈炳耀, 翟飞飞, 徐信荣, 等. 厦门水域中华白海豚栖息地选择的初步研究[J]. 兽类学报, 2007, 27 (1): 92-95.
- [60] 高东阳, 李纯厚, 刘广锋, 等. 北部湾海域浮游植物的种类组成与数量分布[J]. 广东海大学学报, 2001, 21(3): 13-18.
- [61] 韩有松, 孟广兰, 王少青, 从沉积生物化石看防城港的古地理[J]. 海洋湖沼通报, 1984, (1): 43-50, 81-82.
- [62] 何小娟, 丁治英. 广西北部湾地区台风暴雨的统计特征[J]. 气象研究与应用, 2007, 28(2): 31-35.
- [63] 江泓, 张铁, 龙王鲸, 苗条的“大海怪”[J]. 博物, 2015(11): 60-63.
- [64] 蒋光伟, 周放, 余辰星, 等. 广西北部湾沿海地区水鸟多样性及季节变动[J]. 广西科学, 2012, 19(2): 174-179.



- [65] 孔宁谦, 邓朝亮. 广西沿海气候成因及其分析[J]. 广西气象, 1997(4): 31-35.
- [66] 况雪源, 苏志, 涂方旭, 广西气候区划[J]. 广西科学, 2007, 14(3): 278-283.
- [67] 赖俊翔, 许铭本, 庄军莲, 等. 广西北部湾近岸海域春季浮游植物群落结构特征及与环境因子的关系[J]. 海洋技术学报, 2017(6): 65-70.
- [68] 中国海湾志编纂委员会, 中国海湾志(第十二分册, 广西海湾) [M]. 北京: 海洋出版社, 1993.
- [69] 李显森, 梁志辉, 蒋明星. 北部湾北部我国沿岸海区鱼类区系的初步调查[J]. 广西科学院学报, 1987, 8(2): 97-118.
- [70] 刘国强, 张春华, 魏春雷, 等, 广西廉州湾沉积物重金属污染现状及其生态风险评价[J]. 海洋通报, 2012, 31(6): 707-712.
- [71] 刘文华, 黄宗国. 厦门中华白海豚的分布和数量[J]. 海洋学报, 2000, 22 (6): 95-101.
- [72] 刘忠臣, 刘宝华, 黄振宗, 等. 中国近海及邻近海域地形地貌[M]. 北京: 海洋出版社, 2005.
- [73] 罗春业, 李英. 广西北部湾鱼类区系的再研究[J]. 广西师范大学学报(自然科学版), 1999, 17 (2): 85-89.
- [74] 约翰·马敬能, 卡伦·菲利普斯, 何芬奇. 中国鸟类野外手册[M]. 长沙: 湖南教育出版社, 2000.
- [75] 农牧渔业部水产局, 农牧渔业部南海区渔业指挥部. 南海区渔业资源调查和区划[M]. 广州: 广东科技出版社, 1989.
- [76] 乔延龙, 林昭进. 北部湾地形、底质特征与渔场分布的关系[J]. 海洋湖沼通报, 2007(b12): 232-238.
- [77] 世界自然基金会. 地球生命力报告·中国 2015[R]. 世界自然基金会, 2015.
- [78] 世界自然基金会. 中国生态足迹报告 2012: 消费、生产与可持续发展[R]. 世界自然基金会, 2012.
- [79] 唐启升. 中国区域海洋学: 渔业海洋学[J]. 北京: 海洋出版社, 2012.
- [80] 王开发, 张玉兰, 叶志华, 等. 我国北部湾沿岸第四系孢粉组合的发现及其古气候[J]. 科学通报, 1977, (22Z1): 221-223.
- [81] 王丕烈. 中国鲸类[M]. 北京: 化学工业出版社, 2012.
- [82] 王先艳, 妙星, 吴福星, 等. 厦门至珠江口间沿岸海域中华白海豚分布的调查研究[J]. 应用海洋学学报, 2012, 31(2): 225-230.
- [83] 王颖. 中国区域海洋学. 海洋地貌学[M]. 北京: 海洋出版社, 2012.
- [84] 张少峰, 林明裕, 魏春雷, 等. 广西钦州湾沉积物重金属污染现状及潜在生态风险评价[J]. 海洋通报, 2010, 29 (4): 450~454.

- [85] 张晓浩, 黄华梅, 王平, 等. 1973-2015 年珠江口海域岸线和围填海变化分析[J]. 海洋湖沼通报, 2016(5): 9-15.
- [86] 赵昌, 吕新刚, 乔方利. 北部湾潮波数值研究[J]. 海洋学报, 2010, 32(4): 1-11.
- [87] 中国环境与发展国际合作委员会, 世界自然基金会. 中国生态足迹报告[J]. 世界环境, 2008(5): 52-57; 2008(6): 63-69.
- [88] 钟晓宇. 钦州大风江出海口表层沉积物重金属污染与评价[J]. 大科技: 科技天地, 2011, (13): 100-101.
- [89] 庄军莲, 姜发军, 柯珂, 等. 钦州湾一次海水异常监测与分析[J]. 广西科学, 2011, 18(3): 321-324.